

ADVERTISEMENT

MIDLAND REFINERIES CO. ANNOUNCES FOR PURCHASING THE MATERIALS AS STATED BELLOW:-

REQ.NO.	DESCRIPTION	QTY	ADVERTISEMENT NO.	BID BOND
3544/2015	LAB EQUIPMENT	52 ITEMS	ONCE	1500 \$

1-The Requisition to be sold in (250, 000) Iraqi dinars; Un returnable.

2-Technical and Commercial offer should be opened at The same time, The representatives of the companies can be attend to our company (MRC) at 10 O'clock morning one day after the closing day stated below in item (25) .

3-Offered prices should be (CIP) Baghdad / Daura refinery and preferred to be in us dollar. They will be final and un negotiable. (MRC) is not obliged to accept the lowest prices.

4-Offeres (Technical & Commercial) to be submitted, Separately in sealed envelopes, either directly at (MRC) reception bureau or sent by(DHL). The requisition number, the description and the closing date should be fixed on both envelopes. The validity of the offer should be mentioned within the technical offer ; also on the envelope of the commercial offer. Offers sent by E- mail will be neglected.

5- The validity of the Bid Bond and the offer should be mentioned within both offers and should not be less than (120) days.

6- All pages of, Both, The Technical and Commercial offers should be numbered in sequence, Including The Attachments and Documents.

7-All Documents (Profile) and similar contracts achieved, issued by Governmental Contracts should be submitted before purchasing the Req. – for the current year or enclosed within the technical offer.

8- A BID BOND OF AMOUNT THAT STATED IN THE ADVERTISEMENT ABOVE AGAINST EACH TENDER SHOULD BE SUBMITTED WITH COMMERCIAL OFFER FROM ONE OF THE PARTICIPANT IN THE COMPANY ACCORDING TO INSTRUCTION AS (LETTER OF GUARANTEE , CERTIFIED CHEQUE OR BANK GUARANTEE) (ORIGINAL COPY), ISSUED FROM :(KURDISTAN INTERNATIONAL BANK , NORTH BANK , ARPIL INTERNATIONAL BANK, GIHAN BANK FOR ISLAMIC INVESTMENT & FINANCE , UNION BANK OF IRAQ , AL MANSOUR BANK FOR INVESTMENT , NATIONAL ISLAMIC BANK , REGION FOR BUSINESS INVESTMENT AND FINANCING (EMERALD BANK BEFOR), BANK OF BAGHDAD , GULF COMMERCIAL BANK , SUMER FOR COMMERCIAL , CREDIT BANK IRAQI , INVESTMENT BANK OF IRAQ , ASHUR INTERNATIONAL BANK FOR INVESTMENT , INTERNATIONAL DEVELOPMENT FOR INVESTMENT &FINANCE , NATIONAL BANK OF IRAQ , IRAQI ISLAMIC COOPERATIONAL BANK FOR INVESTMENT , COMMERCIAL BANK , BYBLOS BANK , DIJLAH & FURAT BANK FOR DEVELOPMENT & INVESTMENT & IRAQI MIDDLE EAST INVESTMENT BANK AND RELEASED IMMEDIATELY IN CASE THE REQUISITION IS NOT AWARDED. CHEQUES & BANK GUARANTEES ISSUED FROM [ALWARKAA BANK – ISLAMIC BILAD BANK, UNITED BANK FOR INVESTMENT OR BASRAH INTERNATIONAL BANK, AL- HUDA BANK ,ECONOMY BANK FOR INVESTMENT & FINANCE] ARE NOT ACCEPTABLE. THIS BID BOND SHOULD BE VALID FOR NOT LESS THAN (120) DAYS.

9- The Delivery period (In days) should be, exactly specified.

10-Basic Terms of payment is by Irrevocable & Unconfirmed letter of credit to be paid (100%) after the receipt of goods in Baghdad complete and as ordered. other terms of payment may be, mutually, agreed upon latter and for certain conditions, which are : a portion of the total amount to be paid, but against bank guarantee or by bank transfer if requested by any company and by Iraqi dinar only , for Iraqi companies.

11- DELAY PENALTY TO BE APPLIED WITH TOTAL AMOUNT, NOT EXCEEDING (10%) OF THE TOTAL VALUE OF THE P/O.

12- - An Unconditional Performance Bond of (5%) of The Total value of The L/C to be submitted, from one of the participant in the company according to instruction before signing the contract and from one of the banks mentioned in item (8) within (15) fifteen Days from the Date, The Supplier is Informed of the award. For any delay beyond the specified period, The award will be cancelled and the supplier will be considered as a shirker. The issue of the (L /C) depends, mainly, on submitting this bond. The performance bond should be valid for two months later than the delivery period or until the guarantee period (if stated), Is over. This performance bond will be released after the receipt of goods complete and as ordered and the supplier has fulfilled all his commitments regarding the p/o. otherwise, it will be confiscated.

13- (2.7%) of the total value of the contract to be deducted as taxes for Iraqi companies. also, in case the payment is in Iraqi dinar. for non-Iraqi companies, this amount will be retained as taxes and will be released when a tax discharge issued by (the Iraqi state committee of taxes) in favor of the company is submitted within (180) days from the date of receipt of the goods complete and as ordered. Otherwise, this amount will be sent to the (tax committee) and 30% for the contract contain onside installation and operation.

14- (0.002) off the total value of the contract to be deducted as stamp charges.

15- A sum of (id 205,000.00), to be deducted as cost of import license.

16- Origin Certificate should be approved by Iraqi Embassy/Commercial attaché in the country of origin.

17- The participant has no right to omit or make any amendment, whatsoever, to any of the paragraphs of the requisition document.

18- The Origin of the materials should be specified in the offer and fixed. And will not be changed for any reason.

19- Third Party Inspection Certificate should be provided from one of the following companies:

[LLOYDS REGISTER – BUREAU VERITAS - INTERTEK GLOBAL - TUV RHEINLAND - DNV]

20- All offers and correspondences should be, Clearly, Signed by the general manager or whom is officially empowered via power of attorney. Otherwise the offer will be neglected.

21- IT IS NECESSARY TO PRESENT AUTHORIZATION LETTER FROM THE MANUFACTURER COMPANIES CERTIFIED FROM MINISTRY OF FOREING AFFAIRS OR EMBASSY OR CONSULATE OR THE COMMERCIAL ATTACHED IN COUNTRY OF ORIGIN

22- In case the supplier fails to supply all or part of the requested materials as ordered and according to the technical specification stated in the purchase order, our company has the right to deduct their cost at the highest offered price submitted by competitors in the table of price analysis for such items.

23- The awarded supplier will bear the advertising fees.

24- Iraqi laws are applied : The Tender and The Contract shall be governed and construed according to the Iraqi law. Courts shall have the exclusive jurisdiction to hear and determine all actions and proceedings arising out of the contract. Governmental debts collection law (no. : 56), for the year 1977 shall be applied on amounts owed to (MRC).

25- Closing date: 23 / 6 / 2015, till (1.00) o'clock (afternoon).

Note: you can find the conditions of submitting offers on website:

www.oil.gov.iq - www.mrc.oil.gov.iq

SAAD NOORI MOHAMMED
G. MANAGER

ITEM	DESCRIPTION	QTY.
1.	Tongs: stainless steel , double bent , look joint Length 9 inches	5
2.	Tongs: Nilckel plated steel , Rivted ,20 inch.	5
3.	Sieves,NBS , ASTM, 8 inch Diameter ,full Height approved by ASTM (E11).	5
4.	Glass Mortars ,capacity 500 ml.	5
5.	Centrifuge tupes ,oil,ASTM,API,Graduated "Kimax" Brand glass conical with constricted neck to determine water&Sediment in crude Mineral oils , Fuel oil, and other petroleum product (ASTM D 1796 and API code 2500).	25
6.	Amber glass Automatic Burettes with stopcock and ground joint for routine laboratory use, capacity 50 ml, subdivisions ml 0.1 Bottle capacity 2000 ml.	5
7.	Clear glass Automatic Burettes with stopcock and ground joint for routine laboratory use, capacity ml 50, subdivisions ml 0.1 Bottle capacity 2000 ml.	15
8.	Digital burettes , volume 30 ml with PTFE plunger and borosilicate barrel.	5
9.	Burettes meniscus reader , for general laboratory use for quick and accurate reading of burettes ad thermometers.	5
10.	Crucibles, with cover, "vycor" brand glass made from special 96% silica glass , height operating temperature for continuous use is about 900 c also for up to 1200c, capacity 50 ml	15
11.	Erlenmeyer flasks borosilicate glass, graduated, wide mouth, Especially recommended for use as titration flasks capacity 250 ml.	50
12.	Erlenmeyer flasks borosilicate glass, graduated, wide mouth, Especially recommended for use as titration flasks capacity 500 ml.	25
13.	Hydrometer cylinders: a) Clear glass Pyrex. b) Plastic. The inside diameter of the cylinder shall be at 25mm greater than the outside diameter of the hydrometer ,according to ASTM D 1298.	50 25
14.	Volumetric pipettes "classA" , Capacities: 1 ML 2 ML 5 ML 10 ML 20 ML 25 ML 50 ML 100 ML	20 20 20 20 20 15 15 10

15.	API Hydrometers: a) Standard shape for petroleum, products, calibrated at 60 F. <u>Range</u> 9 – 21 9 – 31 29 – 41 39 – 51 49 – 61 59 – 71 69 – 81 b) Hydrometer ,specific gravity and Baume scales ,heavy liquids ,300-mm, scales, specific gravity range from 1.000 to 1.220 in subdivisions of 0.002 and Baum range from 0 to 26 in sub divisions od 0.2.		
			15
			15
			15
			10
			10
			10
			5
16.	Beakers , borosilicate glass made. <u>Capacity</u> 50 ml 100 ml 150 ml 250 ml 400 ml 500 ml 1000 ml 2000 ml 3000 ml 5000 ml		
			25
			25
			25
			25
			25
			25
			15
			10
			10
17.	Test jar (pour point ASTM D97).		15
18.	a) Volumetric Flasks (class A) <u>Size</u> 5 ml 10 ml 25 ml 50 ml 100 ml 250 ml 500 ml 1000 ml 2000 ml		
			10
			10
			10
			10
			10
			10
			10
			10
			10
	b) Amber volumetric flask (class A). <u>Size</u> 500 ml 1000 ml 2000 ml		
			10
			10
			10
			10

19.	Pipette Fillers , rubber ball ,for pipettes up to 100ml capacity.	25
20.	Micro burettes, glass Key , class(A) volume 2ml ,subdivisions 0.01.	10
21.	Amber dropping bottle, borosilicate glass .100 ml.	10
22.	Pipette controller , cable free , pipette controller, a rechargeable ,9v Ni-Cd battery, ranging from 0.1 – 100 ml.	2
23.	Brushes. A. Pipettes brush , head bundle (500 mm length). B. Bottle brush , head bundle (390 mm length). C. Bottle brush , head bundle (420 mm length). D. Beakers , brush , wooden handle (390 mm length). E. Jar brush ,horse hair – nylon mix (630 mm length). F. Pip and tupe brush , (1000 mm length).	25 25 25 25 25 25
24.	Micro pipette , with adjustable volume. <div style="text-align: right;"><u>Volume</u> 200 ml 500 ml 1000 ml 2000 ml (0.5-5.0) ml</div>	5 5 5 5 5
25.	Ribbed Glass funnel, borosilicate. <div style="text-align: right;"><u>Diameter</u> 80 mm 100 mm 150 mm 200 mm</div>	25 25 25 25
26.	Specimen vials with screw cap and TEF seal, borosilicate glass made, 30 ml.	25
27.	Laboratory stand , Rectangular, base length 300mm , base width 150mm,12mm rod.	15
28.	Buchner funnel , porcelain, 110mm inner diameter.	3
29.	Spatulas , polished stainless steel. <div style="text-align: right;"><u>Type</u> Macro spoon spatula ,length 180mm, stanless steel Round grooved spatula length 180mm, stanless steel Poly spatula ,length 180mm, stanless steel Micro spoon spatula , length 180mm, stanless steel</div>	10 5 5 5
30.	Bossheads ,chrome plated cast alloy , opening distance 0 – 15mm	25

31.	Clamp. 3prongs, chrome plated cast alloy , solid stem of 12mm.	15
32.	Separatory funnels, pyrex and globe shape with stopper & stopper cock <div style="text-align: center;"> <u>Volume</u> 125 ml 250 ml 500 ml </div>	 10 10 15
33.	Distillation residue graduate , pyrex for extra accuracy in measuring distillation residue, cylinder of 2.0 ml with graduations at 0.1 ml increments.	10
34.	Supporting ring , with Bosshead, 100mm inside diameter.	15
35.	Washing bottle ,narrow neck ,polyethylene 1000 ml capacity	25
36.	Cork Boring machine, manual for drilling holes 3 -25 mm diameter in cork or rubber stoppers.	5
37.	Parafilm, sealing film (pack).	3
38.	Vertical Pipette stand , hold up to 30 pipettes vertically.	10
39.	Electronical Timer.	10
40.	Glass desiccator ,borosilicate glass, plastic vacuum stopcock, smooth grinded flanges,250 mm diameter.	4
41.	Micropipette stand ,high density acrylic, 6 station.	10
42.	Funnel holder stand ,adjustable height, stainless steel.	5
43.	Nitrile gloves <div style="text-align: center;"> <u>Size</u> Medium Large </div>	500
44.	Filter paper, glass fiber filter whatman, grade No.151 (pack)	10

45.	Calibrated glass capillary viscometers (According ASTM D446 with calibration certificate)			
	Size No	Type	Calibrated at temperature (C)	
	75	Cannon- fenske opaque	(20,40,100)	10
	100	Cannon- fenske opaque	(20,40,100)	15
	150	Cannon- fenske opaque	(20,50,100)	15
	200	Cannon- fenske opaque	(20,50,100)	15
	300	Cannon- fenske opaque	(20,50,100)	15
	350	Cannon- fenske opaque	(20,50,100)	15
	400	Cannon- fenske opaque	(20,50,100)	30
	450	Cannon- fenske opaque	(20,50,100)	15
	500	Cannon- fenske opaque	(20,50,100)	10
	75	Cannon- fenske Routine	(20,40,100)	10
	75	Cannon- fenske Routine	(-20)	10
	100	Cannon- fenske Routine	(20,40,100)	15
	100	Cannon- fenske Routine	(-20)	10
	150	Cannon- fenske Routine	(20,40,100)	15
	200	Cannon- fenske Routine	(20,40,100)	15
	300	Cannon- fenske Routine	(20,40,100)	15
	350	Cannon- fenske Routine	(20,40,100)	15
	400	Cannon- fenske Routine	(20,40,100)	30
	450	Cannon- fenske Routine	(20,40,100)	15
46.	Thermometer (According ASTM E1 with calibration certificate)			
	<u>ASTM NO</u>			
	1 C			5
	2 C			10
	5 C			15
	6 C			30
	7 C			30
	8 C			10
	16 C			5
	38 C			5
	39 C			5
	40 C			10
	12 F			50
47.	Watch glass.			
		<u>Diameter</u>		
		50 mm		10
		100 mm		10
		125 mm		10
		250 mm		10

48.	Graduated measuring cylinders ,Pyrex glass.	
	<u>Capacity</u>	
	10 ml	15
	25 ml	10
	50 ml	10
	100 ml	25
	250 ml	25
	500 ml	10
	1000 ml	10
	2000 ml	10
49.	RESPIRATORS, with exhalation valve, for highly Toxic particles.	250
50.	Cork Stoppers , Taperred.&Rubber.	
	<u>Bottom Diameter,mm</u>	<u>Top Diameter ,mm</u>
	8	11
	16	20
	17	21
	28	31
		<u>Length,mm</u>
		16
		21
		31
		32
51.	Stirring Glass rod.	
	<u>Length</u>	
	150 mm	20
	200 mm	20
	250 mm	20
52.	Filter paper.	
	<u>Diameter</u>	
	15 Cm NO1	200
	24 Cm NO2	100
	15 Cm NO4	100
	24 Cm NO4	100
	12.5 Cm NO 42 (Ashless).	100
	12.5 Cm NO 41 (Ashless).	100

Origin: - U.S.A, Europe, Canada, South Korea, Australia, India

1- Certificate of origin